

2007 - 2008

www.santy.ru

Comfort Providing Water Technology



ООО "Сантис":  
г. Санкт-Петербург  
наб. реки Екатерингофки 25  
tel./fax: +7 (812) 495-99-32  
tel./fax: +7 (812) 495-94-98  
ISO 98832655  
e-mail: info@santy.ru  
Skype: santytd

WaterLife

# INDEX

Page No	Product Description
2 - 5	Whirlpool & SPA Pump
6 - 8	Whirlpool Components - Set
9 - 12	Whirlpool Single Piece
13	Blower & Air Jet
14	Electronic Controller - Bathtub
15	Electronic Controller - Shower
16	Therapy Light & Bathtub Mix
17	Shower Mix & Misc.
18	Shower Jet & Head Shower
19	Hand Shower & Sliding Rail
20	Complete Shower Rail Set
21	Heater - Spot Light & Deckplate
22	Bath Pillow - Handle - Filter & Siphon
23	Chemical - Adhesive & Hose
24	Bathtub Assembly Piece & Seal

"We reserve to change products and/or products specifications without prior notice."  
 "We are not responsible for typographical errors."

Product	Performance	Specification
 <b>PF 500</b>	 Whirlpool Pump Termal Koruma Thermal Protection	Supply 220 V / 50 Hz HP 0.70 KW 0.53 Max. (l / Min.) 270 Max. Head (m) 10.04 Box Size (mm) 330 x 170 x 190 Weight (Kgs) 5.6 Insulation Class F Protection Type IP X5
		Supply 220 V / 50 Hz HP 0.90 KW 0.75 Max. (l / Min.) 307 Max. Head (m) 11.59 Box Size (mm) 330 x 170 x 190 Weight (Kgs) 6 Insulation Class F Protection Type IP X5
 <b>PF 750</b>	 Whirlpool Pump Termal Koruma Thermal Protection	Supply 220 V / 50 Hz HP 1.20 KW 0.90 Max. (l / Min.) 317 Max. Head (m) 12.03 Box Size (mm) 350 x 170 x 190 Weight (Kgs) 7.45 Insulation Class F Protection Type IP X5
		Supply 220 V / 50 Hz HP 0.75 KW 0.56 Max. (l / Min.) 280 Max. Head (m) 11 Box Size (mm) 370 x 180 x 230 Weight (Kgs) 8.5 Insulation Class F Protection Type IP X5
 <b>PF 1000</b>	 Whirlpool Pump Termal Koruma Thermal Protection	Supply 220 V / 50 Hz HP 1.20 KW 0.90 Max. (l / Min.) 317 Max. Head (m) 12.03 Box Size (mm) 350 x 170 x 190 Weight (Kgs) 7.45 Insulation Class F Protection Type IP X5
		Supply 220 V / 50 Hz HP 0.75 KW 0.56 Max. (l / Min.) 280 Max. Head (m) 11 Box Size (mm) 370 x 180 x 230 Weight (Kgs) 8.5 Insulation Class F Protection Type IP X5
 <b>UA 75</b>	 Whirlpool Pump Termal Koruma Thermal Protection	Supply 220 V / 50 Hz HP 1.20 KW 0.90 Max. (l / Min.) 335 Max. Head (m) 13.0 Box Size (mm) 370 x 180 x 230 Weight (Kgs) 9.5 Insulation Class F Protection Type IP X5
		Supply 220 V / 50 Hz HP 1.20 KW 0.90 Max. (l / Min.) 335 Max. Head (m) 13.0 Box Size (mm) 370 x 180 x 230 Weight (Kgs) 9.5 Insulation Class F Protection Type IP X5
 <b>UA 120</b>	 Whirlpool Pump Termal Koruma Thermal Protection	Supply 220 V / 50 Hz HP 1.20 KW 0.90 Max. (l / Min.) 335 Max. Head (m) 13.0 Box Size (mm) 370 x 180 x 230 Weight (Kgs) 9.5 Insulation Class F Protection Type IP X5
		Supply 220 V / 50 Hz HP 1.20 KW 0.90 Max. (l / Min.) 335 Max. Head (m) 13.0 Box Size (mm) 370 x 180 x 230 Weight (Kgs) 9.5 Insulation Class F Protection Type IP X5


Product	Performance	Specification
<p><b>UA 200</b></p>	<p>Whirlpool Pump Terral Kasuma Thermal Protection</p>	Supply 220 V / 50 Hz HP 2.0 KW 1.5 Max. (L / Min.) 400 Max. Head (m) 16.0 Box Size (mm) 420 x 215 x 240 Weight (Kg) 13.5 Insulation Class F Protection Type IP X5
<p><b>EVO 500</b></p>	<p>Whirlpool Pump Terral Kasuma Thermal Protection</p>	Supply 230 V / 50 Hz HP 0.50 KW 0.38 Max. (L / Min.) 260 Max. Head (m) 8.0 Box Size (mm) 313 x 170 x 170 Weight (Kg) 4.0 Insulation Class F Protection Type IP X5
<p><b>EVO 700</b></p>	<p>Whirlpool Pump Terral Kasuma Thermal Protection</p>	Supply 230 V / 50 Hz HP 0.70 KW 0.53 Max. (L / Min.) 295 Max. Head (m) 10.3 Box Size (mm) 313 x 170 x 170 Weight (Kg) 4.3 Insulation Class F Protection Type IP X5
<p><b>EVO 1000</b></p>	<p>Whirlpool Pump Terral Kasuma Thermal Protection</p>	Supply 230 V / 50 Hz HP 0.80 KW 0.61 Max. (L / Min.) 300 Max. Head (m) 10.7 Box Size (mm) 313 x 170 x 169 Weight (Kg) 5.4 Insulation Class F Protection Type IP X5
<p><b>EH 100</b></p>	<p>Whirlpool Pump (heater) Terral Kasuma Thermal Protection</p>	Supply 220 V / 50 Hz HP 1.00 KW 0.75 Max. (L / Min.) 300 Max. Head (m) 8 Box Size (mm) 410 x 215 x 250 Weight (Kg) 8.5 Insulation Class F Protection Type IP X5

Product	Performance	Specification
<p><b>EA 320</b></p>	<p>Whirlpool Pump Terral Kasuma Thermal Protection</p>	Supply 220 V / 50 Hz HP 0.75 KW 0.56 Max. (L / Min.) 295 Max. Head (m) 12 Box Size (mm) 415 x 190 x 240 Weight (Kg) 8.5 Insulation Class F Protection Type IP X5
<p><b>EA 390</b></p>	<p>Whirlpool Pump Terral Kasuma Thermal Protection</p>	Supply 220 V / 50 Hz HP 1.2 KW 0.90 Max. (L / Min.) 335 Max. Head (m) 15 Box Size (mm) 415 x 190 x 240 Weight (Kg) 8.5 Insulation Class F Protection Type IP X5





  

Product	Specification Description	Product	Specification Description
<p><b>27 - 001</b></p>	<p>Pump Nut Inner Diam. 30 mm</p>	<p><b>27 - 004</b></p> <p>Pump O ring Size 49x3 mm</p>	
<p><b>27 - 002</b></p>	<p>Pump Nozzle Inner Diam. 30 mm</p>	<p><b>27 - 005</b></p> <p>Air Switch 220 V 15 A</p>	
<p><b>27 - 003</b></p>	<p>/ Pump TEE Inner Diam. 30x32 mm</p>	<p><b>27 - 004</b> <b>27 - 007</b></p> <p>Vibration Absorber PVC 25x24 mm Rubber 25x24 mm</p>	



Product	Code	Description
	01-001	Ital Jet Set
	03-004	On/Off Button - IV
	04-006	Air Control - VI
	02-002	Ital Jet
	05-002	Suction Unit - II
	06-004	End Plugs
	06-007	TEE Piece
	01-002	Jumbo Set
	03-002	On/Off Button - II
	04-005	Air Control - V
	02-001	Jumbo Jet
	05-002	Suction Unit - II
	06-004	End Plugs
	06-013	A/C TEE 16 mm
	01-003	Super Set
	03-003	On/Off Button - III
	04-001	Air Control - I
	02-003	Super Jet
	05-003	Suction Unit - III
	06-004	End Plugs
	06-001	YEE Piece
	01-004	Eko Flat Set
	03-002	On/Off Button - II
	04-005	Air Control - V
	02-004	Bio Flat Jet
	05-002	Suction Unit - II
	06-004	End Plugs
	06-001	YEE Piece













ürün / Product	Kod Code	Description
	01-005	Eko Edged Set
	03-001	On/Off Button - I
	04-004	Air Control - IV
	02-005	Bio Edged Jet
	05-002	Suction Unit - II
	06-004	End Plugs
	06-001	YEE Piece
	01-006	Self Flat Set
	03-002	On/Off Button - II
	04-005	Air Control - V
	02-006	Self Flat Jet
	05-002	Suction Unit - II
	06-004	End Plugs
	06-014	A/C TEE 10 mm
	01-007	Self Edged Set
	03-001	On/Off Button - I
	04-004	Air Control - IV
	02-007	Self Edged Jet
	05-002	Suction Unit - II
	06-004	End Plugs
	06-014	A/C TEE 10 mm
	01-011	Self Super Set
	03-004	On/Off Button - IV
	04-006	Air Control - VI
	02-013	Self Super Jet
	05-002	Suction Unit - II
	06-004	End Plugs
	06-014	A/C TEE 10 mm
06-015	Jet TEE	











































Product	Code	Description
	01-012	Back Massage Set - I
	02-011	Point Jet
	06-002	Manifold - I
	06-004	End Plugs
	06-008	End Plugs
	06-001	YEE Piece
	01-013	Back Massage Set - II
	02-015	Mini Ball Jet
	06-002	Manifold - I
	06-004	End Plugs
	06-008	End Plugs
	06-001	YEE Piece
	01-014	Self Pin Set
	03-004	On/Off Button - IV
	04-006	Air Control - VI
	02-012	Self Pin Jet
	05-002	Suction Unit - II
	06-004	End Plugs
	06-014	A/C TEE 10 mm
	01-015	Eko Pin Set
	03-004	On/Off Button - IV
	04-005	Air Control - VI
	02-014	Self Pin Jet
	05-002	Suction Unit - II
	06-004	End Plugs
	06-001	YEE Piece



Product	Specification Description	Product	Specification Description								
	<p><b>Jumbo Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>20 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	20 mm		<p><b>Self Flat Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>11 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	11 mm
	Water Inlet	32 mm									
Air Inlet	20 mm										
Water Inlet	32 mm										
Air Inlet	11 mm										
	<p><b>Ball Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>20 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	20 mm		<p><b>Self Edged Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>11 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	11 mm
Water Inlet	32 mm										
Air Inlet	20 mm										
Water Inlet	32 mm										
Air Inlet	11 mm										
	<p><b>Super Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>32 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	32 mm		<p><b>MSB Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>11 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	11 mm
	Water Inlet	32 mm									
Air Inlet	32 mm										
Water Inlet	32 mm										
Air Inlet	11 mm										
	<p><b>Eko Flat Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>32 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	32 mm		<p><b>Mini Pin Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>11 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	11 mm
	Water Inlet	32 mm									
Air Inlet	32 mm										
Water Inlet	32 mm										
Air Inlet	11 mm										
	<p><b>Eko Edged Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>32 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	32 mm		<p><b>Self Pin Jet</b></p> <table border="1"> <tr> <td>Water Inlet</td> <td>32 mm</td> </tr> <tr> <td>Air Inlet</td> <td>11 mm</td> </tr> </table>	Water Inlet	32 mm	Air Inlet	11 mm
	Water Inlet	32 mm									
Air Inlet	32 mm										
Water Inlet	32 mm										
Air Inlet	11 mm										











Product	Specification Description	Product	Specification Description								
	 <p><b>Self Super Jet</b></p> <table border="1"> <tr><td>Water Inlet</td><td>32 mm</td></tr> <tr><td>Air Inlet</td><td>11 mm</td></tr> </table>	Water Inlet	32 mm	Air Inlet	11 mm		 <p><b>On / Off Button - III</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>35 mm</td></tr> </table>	Hole Diam.	35 mm		
Water Inlet	32 mm										
Air Inlet	11 mm										
Hole Diam.	35 mm										
	 <p><b>Eko Film Jet</b></p> <table border="1"> <tr><td>Water Inlet</td><td>32 mm</td></tr> <tr><td>Air Inlet</td><td>30 mm</td></tr> </table>	Water Inlet	32 mm	Air Inlet	30 mm		 <p><b>On / Off Button - IV</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>35 mm</td></tr> </table>	Hole Diam.	35 mm		
Water Inlet	32 mm										
Air Inlet	30 mm										
Hole Diam.	35 mm										
	 <p><b>Mini Bell Jet</b></p> <table border="1"> <tr><td>Water Inlet</td><td>32 mm</td></tr> <tr><td>Air Inlet</td><td>11 mm</td></tr> </table>	Water Inlet	32 mm	Air Inlet	11 mm		 <p><b>Air Control - I</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>34 mm</td></tr> <tr><td>Air Inlet</td><td>21 mm</td></tr> </table>	Hole Diam.	34 mm	Air Inlet	21 mm
Water Inlet	32 mm										
Air Inlet	11 mm										
Hole Diam.	34 mm										
Air Inlet	21 mm										
	 <p><b>On / Off Button - I</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>35 mm</td></tr> </table>	Hole Diam.	35 mm		 <p><b>Air Control - II</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>34 mm</td></tr> <tr><td>Air Inlet</td><td>21 mm</td></tr> </table>	Hole Diam.	34 mm	Air Inlet	21 mm		
Hole Diam.	35 mm										
Hole Diam.	34 mm										
Air Inlet	21 mm										
	 <p><b>On / Off Button - II</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>35 mm</td></tr> </table>	Hole Diam.	35 mm		 <p><b>Air Control - III</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>34 mm</td></tr> <tr><td>Air Inlet</td><td>21 mm</td></tr> </table>	Hole Diam.	34 mm	Air Inlet	21 mm		
Hole Diam.	35 mm										
Hole Diam.	34 mm										
Air Inlet	21 mm										

Product	Specification Description	Product	Specification Description								
	 <p><b>Air Control - IV</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>34 mm</td></tr> <tr><td>Air Inlet</td><td>21 mm</td></tr> </table>	Hole Diam.	34 mm	Air Inlet	21 mm		 <p><b>Suction Unit - II</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>40 mm</td></tr> <tr><td>Water Inlet</td><td>30 mm</td></tr> </table>	Hole Diam.	40 mm	Water Inlet	30 mm
Hole Diam.	34 mm										
Air Inlet	21 mm										
Hole Diam.	40 mm										
Water Inlet	30 mm										
	 <p><b>Air Control - V</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>34 mm</td></tr> <tr><td>Air Inlet</td><td>21 mm</td></tr> </table>	Hole Diam.	34 mm	Air Inlet	21 mm		 <p><b>Suction Unit - III</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>40 mm</td></tr> <tr><td>Water Inlet</td><td>30 mm</td></tr> </table>	Hole Diam.	40 mm	Water Inlet	30 mm
Hole Diam.	34 mm										
Air Inlet	21 mm										
Hole Diam.	40 mm										
Water Inlet	30 mm										
	 <p><b>Air Control - VI</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>34 mm</td></tr> <tr><td>Air Inlet</td><td>21 mm</td></tr> </table>	Hole Diam.	34 mm	Air Inlet	21 mm		 <p><b>YEE Piece</b></p> <table border="1"> <tr><td>Water Inlet</td><td>32 mm</td></tr> <tr><td>Length</td><td>99 mm</td></tr> </table>	Water Inlet	32 mm	Length	99 mm
Hole Diam.	34 mm										
Air Inlet	21 mm										
Water Inlet	32 mm										
Length	99 mm										
	 <p><b>Hava Ayr / Air Control - VII</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>35 mm</td></tr> <tr><td>Air Inlet</td><td>21 mm</td></tr> </table>	Hole Diam.	35 mm	Air Inlet	21 mm		 <p><b>Manifold - I</b></p> <table border="1"> <tr><td>Inlet</td><td>32x22 mm</td></tr> <tr><td>Outlets</td><td>10 mm</td></tr> </table>	Inlet	32x22 mm	Outlets	10 mm
Hole Diam.	35 mm										
Air Inlet	21 mm										
Inlet	32x22 mm										
Outlets	10 mm										
	 <p><b>Suction Unit - I</b></p> <table border="1"> <tr><td>Hole Diam.</td><td>40 mm</td></tr> <tr><td>Water Inlet</td><td>30 mm</td></tr> </table>	Hole Diam.	40 mm	Water Inlet	30 mm		 <p><b>Manifold - II</b></p> <table border="1"> <tr><td>Inlet</td><td>32x22 mm</td></tr> <tr><td>Outlets</td><td>10 mm</td></tr> </table>	Inlet	32x22 mm	Outlets	10 mm
Hole Diam.	40 mm										
Water Inlet	30 mm										
Inlet	32x22 mm										
Outlets	10 mm										

Product	Specification Description	Product	Specification Description
	 End Plug Outer Diam. 32 mm		 Stop Valve Temp. 40 °C Air Inlet 32 mm
<b>06-004</b>		<b>06-009</b>	
	 Elbow - 90° Inner Diam. 30 mm		 Muff Inner Diam. 32 mm
<b>06-005</b>		<b>06-010</b>	
	 Elbow - 90° Inner Diam. 32 mm		 Reducer 06-011 Water 06-012 Air
<b>06-006</b>		<b>06-011</b>	
	 TEE Piece Cap / Inner Diameter 32 mm		 AVC TEE 06-013 16 mm 06-014 10 mm
<b>06-007</b>		<b>06-013</b>	
	 End Plug Outer Diam. 32 mm		 Jet TEE 02-013 For 02-013 Jet Outer Diam. 10 mm
<b>06-008</b>		<b>06-015</b>	












Product	Specification Description	Product	Specification Description		
	 Air Blower Single Phase Thermal Protection UB 300 230 128 75 26		 Air Blower Single Phase Thermal Protection UB 700 230 188 88 32.5		
<b>UB 300</b>		<b>UB 700</b>			
	 Air Blower Single Phase Thermal Protection UB 300 V2 230 128 75 26		 Air Blower Single Phase Thermal Protection UB 700 V2 230 188 88 32.5		
<b>UB 300 V2</b>		<b>UB 700 V2</b>			
Product/Specification		UB 300	UB 700	UB 300 V2	UB 700 V2
Supply		220 V / 50 - 60 Hz	220 V / 50 - 60 Hz	220 V / 50 - 60 Hz	220 V / 50 - 60 Hz
Current Amper		1,7	3,3	1,7	3,3
Power W		270 - 300	450 - 700	270 - 300	450 - 700
Nozzle Quantity		8-16	16-32	8-16	16-32
Air Switch (Optional)		15 A, 250 V	15 A, 250 V	15 A, 250 V	15 A, 250 V
Noise Level		72 c.dB	72 c.dB	72 c.dB	72 c.dB
Insulation Class		B	B	B	B
Protection Type		IP 45	IP 45	IP 45	IP 45
Weight - Egs.		1,7	2,5	1,9	2,6
	 Air Jet - I Dish Hole 20 mm Air Inlet 10 mm		 Air Jet - II Dish Hole 19 mm Air Inlet 11 mm		
<b>07-001</b>		<b>07-003</b>			
	 Air Jet - II Dish Hole 18 mm Air Inlet 32 mm		 Air Loop Polyethylen Air Inlet 32 mm		
<b>07-002</b>		<b>07E-001</b>			











Product	Specification	Functions
 <b>ADW - 01</b>	 Electronic Whirlpool KIT - I Sensor Included	Pump On/Off Level Sensor Automatic Timer
 <b>ADW - 02</b>	 Electronic Whirlpool KIT - II Sensor Included	Pump On/Off Level Sensor Automatic Timer Blower On/Off Blower Speed (+) Blower Speed (-)
 <b>ADW - 03</b>	 Electronic Whirlpool KIT - III Sensor Included	Pump On/Off Level Sensor Automatic Timer Blower On/Off Blower Speed (+) Blower Speed (-) Light
 <b>ADW - 04</b>	 Electronic Whirlpool KIT - IV Remote Included	Pump On/Off Level Sensor Automatic Timer Blower On/Off Blower Speed (+/-) Remote Control Light Radio Telephone
 <b>VU - 130</b>	 Electronic Whirlpool KIT - V Sensor Included	Pump On/Off Level Sensor Automatic Timer Blower On/Off Blower Speed (+/-) Blowing After Light Disinfection Heater

Product	Specification	Functions
 <b>ADS - 01</b>	 Electronic Shower KIT - I Non-Dispersion Light Included	Fan Light Radio FM Memory Volume Adj.
 <b>ADS - 02</b>	 Electronic Shower KIT - II Non-Dispersion Light Included	Fan Light Radio FM Memory Volume Adj.
 <b>ADS - 03</b>	 Electronic Shower KIT - III Non-Dispersion Light Included	Fan Light Steamer Timer Thermostat
 <b>ADS - 04</b>	 Electronic Shower KIT - IV Non-Dispersion Steamer Light/Heater Generator Included	Fan Light Steamer Radio+Memory Remote Volume/Timer/Temp. Adj. Control Shower Control Telephone
 <b>ADS - 05</b>	 Touch Screen Shower KIT - V Non-Dispersion Steamer Light Included	Fan Light Steamer Radio FM frequency Adj. Volume Timer Temp. Adj. Memory



Product	Specification Description	Product	Specification Description								
	 Light Therapy KIT Manual / Automatic Control Light Included		<b>PELIKAN Mixer</b> <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>2</td></tr> </table>	Water Inlet	1/2"	Diverter	2				
Water Inlet	1/2"										
Diverter	2										
	<b>FILAMINGO Mixer</b> <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>2</td></tr> </table>	Water Inlet	1/2"	Diverter	2		<b>SELALA Mixer</b> <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>2</td></tr> </table>	Water Inlet	1/2"	Diverter	2
Water Inlet	1/2"										
Diverter	2										
Water Inlet	1/2"										
Diverter	2										
	<b>KARTAL Mixer</b> <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>2</td></tr> </table>	Water Inlet	1/2"	Diverter	2		<b>KUGU Mixer</b> <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>2</td></tr> </table>	Water Inlet	1/2"	Diverter	2
Water Inlet	1/2"										
Diverter	2										
Water Inlet	1/2"										
Diverter	2										
	<b>PNAR Mixer</b> <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>2</td></tr> </table>	Water Inlet	1/2"	Diverter	2		<b>Shampoo Holder</b> ABS Chrome Adjustable Leg System				
Water Inlet	1/2"										
Diverter	2										
	<b>KOBRA Mixer</b> <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>2</td></tr> </table>	Water Inlet	1/2"	Diverter	2		<b>Hamam Spout</b> <table border="1"> <tr><td>Water Inlet</td><td>3/4"</td></tr> </table>	Water Inlet	3/4"		
Water Inlet	1/2"										
Diverter	2										
Water Inlet	3/4"										

Product	Specification Description	Product	Specification Description								
	<b>Shower Mixer - I</b> ABS Chrome Handle <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>2</td></tr> </table>	Water Inlet	1/2"	Diverter	2		<b>Shower Mixer - VI</b> ABS Chrome Handle <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>4</td></tr> </table>	Water Inlet	1/2"	Diverter	4
Water Inlet	1/2"										
Diverter	2										
Water Inlet	1/2"										
Diverter	4										
	<b>Shower Mixer - II</b> ABS Chrome Handle <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>3</td></tr> </table>	Water Inlet	1/2"	Diverter	3		<b>Shower Mixer - VII</b> Zinc Chrome Handle <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>5</td></tr> </table>	Water Inlet	1/2"	Diverter	5
Water Inlet	1/2"										
Diverter	3										
Water Inlet	1/2"										
Diverter	5										
	<b>Shower Mixer - III</b> ABS Chrome Handle <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>4</td></tr> </table>	Water Inlet	1/2"	Diverter	4		 <b>Shower Connector</b> ABS Chrome <table border="1"> <tr><td>Inlet/Outlet</td><td>1/2"</td></tr> </table>	Inlet/Outlet	1/2"		
Water Inlet	1/2"										
Diverter	4										
Inlet/Outlet	1/2"										
	<b>Shower Mixer - IV</b> ABS Chrome Handle <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>2</td></tr> </table>	Water Inlet	1/2"	Diverter	2		<b>Shower Hose</b> SS Braided <table border="1"> <tr><td>Size</td><td>3/8" x 1/2"</td></tr> <tr><td>Size</td><td>1/2" x 1/2"</td></tr> </table>	Size	3/8" x 1/2"	Size	1/2" x 1/2"
Water Inlet	1/2"										
Diverter	2										
Size	3/8" x 1/2"										
Size	1/2" x 1/2"										
	<b>Shower Mixer - V</b> ABS Chrome Handle <table border="1"> <tr><td>Water Inlet</td><td>1/2"</td></tr> <tr><td>Diverter</td><td>3</td></tr> </table>	Water Inlet	1/2"	Diverter	3		<b>Reducer</b> ABS Chrome <table border="1"> <tr><td>Water Inlet</td><td>3/4" x 1/2"</td></tr> </table>	Water Inlet	3/4" x 1/2"		
Water Inlet	1/2"										
Diverter	3										
Water Inlet	3/4" x 1/2"										

Product	Specification Description	Product	Specification Description
 15-001	Set Includes  Eson Klask Shower Set  Brass Chrome Pipe (25 mm.)	 15-006	Set Includes  Elite Klask Shower Set  Brass Chrome Pipe (25 mm.)
 15-002	Set Includes  Series Klask Shower Set  Brass Chrome Pipe (25 mm.)	 15-007	Set Includes  Elite Shower Set  Brass Chrome Pipe (25 mm.)
 15-003	Set Includes  Klask Shower Set  Brass Chrome Pipe (25 mm.)	 15-008	Set Includes  Elite Sino Shower Set  Brass Chrome Pipe (25 mm.)
 15-004	Set Includes  Klask Sino Shower Set  Brass Chrome Pipe (25 mm.)	 15-009	Set Includes  Klask Sino Shower Set  ABS Chrome Sliding Roll
 15-005	Set Includes  Sinosel Shower Set ABS Chrome Hanger	 15-010	Set Includes  Sino Shower Set  ABS Chrome Sliding Roll

Product	Specification Description	Product	Specification Description
 16-001	PVC Heater  0-40 Thermostat 220 V - 1500 W 50 mm x 80 mm	 16-002	SS Heater  0-40 Thermostat 220 V - 1500 W 50 mm x 80 mm
 17-001	Spot Light (12 V - 25 W) Brass Chrome	 17-002	Spot Light (12 V - 25 W) Polychrome Chrome
 17E-001	Transformer  Electronic 12 V - 30 W	 18-001	 Triple Deckplate Self Adhesive
 18-002	 Twin Deckplate Self Adhesive	 18-003	 Self Adhesive Air Control Deckplate
 18-004	 On / Off Deckplate	 18-004	 On / Off Deckplate
 18-005	Bathbub / Shower Tray Label Self Adhesive	 18-007	 Twin Deckplate ABS Chrome
 18-006	 Twin Deckplate Self Adhesive		

Pillows - Handles - Filter & Syphon



Product	Specification Description	Product	Specification Description
	Bathub Pillow - I Polyurethane White		Bathub Handle - I Brass Chrome Bathub Handle - III Zinc Chrome
19 - 001		20 - 001 20 - 003	
	Bathub Pillow - II Polyurethane Grey		Bathub Handle - II Zinc Chrome
19 - 002		20 - 002	
	Bathub Pillow - III Polyurethane Grey		Filter Out 30 mm PVC
19 - 003		22 - 001	
	Bathub Pillow - IV Polyurethane Grey		Automatic Syphon 32 mm - 40 mm - 50 mm
19 - 004		24 - 001	
	Bathub Pillow - V Polyurethane Grey		Shower Syphon 32 mm
19 - 005		24 - 002	

Chemicalas & Hoses



Product	Specification Description	Product	Specification Description
	Disinfecter TLL 12 Pcs In Box		PVC Hoses 25 - 001 3d mm
21 - 001		25 - 001	
	Cleaner TLL 12 Pcs In Box		Branched Hoses 25 - 002 10 mm 25 - 003 14 mm
21 - 002		25 - 002 25 - 003	
	Disinfecter 250 Ml 40 Pcs In Box		PVC Flex Hoses 25 - 004 14 mm 25 - 005 20 mm
21 - 003		25 - 004 25 - 005	
	Cleaner 250 Ml 40 Pcs In Box		PVC Flex Hoses 25 - 006 32 mm
21 - 004		25 - 006	
	Adhesive 1000 Gr.		PVC Flex Hoses 25 - 007 50 mm
23 - 001		25 - 007	

Product	Specification Description	Product	Specification Description
 26 - 001	 Panel Holder	 26 - 006	 Bathlup Assen. Piece
 26 - 002	 Bathlup Upper End Plug	 26 - 007	 10-14 mm Plastic Hose Clamps
 26 - 003	 Bathlup Legs M 12	 26 - 008	 Panel Screw Cap
 26 - 004	 Bathlup Legs M 14	 26 - 009	 Cabin Door Stopper
 26 - 005	 Panel Slider	 29 - 001 29 - 002	 Suction Seal Jet Seal

